

---

# MySQL 9.6 Release Notes

## Abstract

This document contains release notes for the changes in MySQL 9.6. For information about changes in a different version of MySQL, see the release notes for that version.

For additional MySQL 9.6 documentation, see the [MySQL 9.6 Reference Manual](#), which includes an overview of features added in MySQL 9.6 ([What Is New in MySQL 9.6](#)), and discussion of upgrade issues that you may encounter while [upgrading](#).

MySQL platform support evolves over time; please refer to <https://www.mysql.com/support/supportedplatforms/database.html> for the latest updates.

Updates to these notes occur as new product features are added, so that everybody can follow the development process. If a recent version is listed here that you cannot find on the download page (<https://dev.mysql.com/downloads/>), the version has not yet been released.

The documentation included in source and binary distributions may not be fully up to date with respect to release note entries because integration of the documentation occurs at release build time. For the most up-to-date release notes, please refer to the online documentation instead.

For legal information, see the [Legal Notices](#).

For help with using MySQL, please visit the [MySQL Forums](#), where you can discuss your issues with other MySQL users.

Document generated on: 2026-01-20 (revision: 30913)

## Table of Contents

Preface and Legal Notices .....	1
Changes in MySQL 9.6.0 (2026-01-20, Innovation Release) .....	3

## Preface and Legal Notices

This document contains release notes for the changes in MySQL 9.6.

## Legal Notices

Copyright © 1997, 2026, Oracle and/or its affiliates.

### License Restrictions

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

### Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

### **Restricted Rights Notice**

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

**U.S. GOVERNMENT END USERS:** Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

### **Hazardous Applications Notice**

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

### **Trademark Notice**

Oracle, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

### **Third-Party Content, Products, and Services Disclaimer**

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

### **Use of This Documentation**

This documentation is NOT distributed under a GPL license. Use of this documentation is subject to the following terms:

You may create a printed copy of this documentation solely for your own personal use. Conversion to other formats is allowed as long as the actual content is not altered or edited in any way. You shall not publish or distribute this documentation in any form or on any media, except if you distribute the documentation in a manner similar to how Oracle disseminates it (that is, electronically for download on a Web site with the software) or on a CD-ROM or similar medium, provided however that the documentation is disseminated together with the software on the same medium. Any other use, such as any dissemination of printed copies or use of this documentation, in whole or in part, in another publication, requires the prior written consent from an authorized representative of Oracle. Oracle and/or its affiliates reserve any and all rights to this documentation not expressly granted above.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at  
<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## Access to Oracle Support for Accessibility

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit  
<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Changes in MySQL 9.6.0 (2026-01-20, Innovation Release)



### Note

These release notes were created with the assistance of MySQL HeatWave GenAI.

- [Audit Log Notes](#)
- [Compilation Notes](#)
- [Configuration Notes](#)
- [Doxygen Notes](#)
- [Replication with GTIDs](#)
- [InnoDB Notes](#)
- [JavaScript Programs](#)
- [JSON Duality Views](#)
- [Logging Notes](#)
- [MySQL Enterprise Notes](#)
- [Optimizer Notes](#)
- [Packaging Notes](#)
- [Performance Schema Notes](#)
- [Pluggable Authentication](#)

- [Security Notes](#)
- [SQL Syntax Notes](#)
- [Functionality Added or Changed](#)
- [Bugs Fixed](#)

## Audit Log Notes

- Updated the `audit_log_rotate_on_size` system variable to require the `AUDIT_ADMIN` privilege for modification. (Bug #38620615)
- MySQL now supports a more modular and efficient auditing system with the introduction of the Audit Log component. This update splits the monolithic Audit Log software into smaller, more manageable components, encapsulated into MySQL components, making it easier to install, manage, and maintain. The new component-based architecture allows for improved flexibility and customization, enabling users to easily configure audit log settings, such as output file location, format, and buffer size. With this enhancement, MySQL provides a more streamlined and user-friendly auditing experience, allowing you to focus on monitoring and analyzing your database activities with greater ease.

See [MySQL Enterprise Audit Component](#) for more information. (WL #12716)

## Compilation Notes

- MySQL Server's `clang-tidy` configuration now consistently disables all brace checks, including `hicpp-braces-around-statements`, to prevent duplicate diagnostics. (Bug #38601902)
- A number of unused symbols were removed from the code base. (Bug #38557463)
- The `cmake` macro `MYSQL_CHECK_PROTOBUF` did not properly handle multiple calls when using system protobuf. Errors were returned similar to the following:

```
ADD_LIBRARY cannot create imported target
"ext::libprotobuf" because another target with the same
name already exists.
```

(Bug #38417986)

## Configuration Notes

- The `mysqlx_port` server variable was not persisted in the `my.ini` file when set through the **Type and Networking** configuration page. (Bug #38728671)
- MySQL Configurator treated single-quotes (') as part of the password.

The configurator now correctly handles quoted passwords by removing any quotes, double quotes, or backticks from the beginning and end of the password. (Bug #38069029)

- Server file permissions were not applied as specified with `--server-file-permissions-access`. Full access was granted regardless of the value defined. (Bug #38068994)
- `--slow-query-log-file` could be used even if the slow query log was not enabled. (Bug #38068822)
- It was possible to set the `--general-log-file` CLI option when the general log was disabled.

As of this release, an error is returned. (Bug #38068775)

- `--open-win-firewall` could be used when TCP/IP connections were disabled.

As of this release, `--open-win-firewall` can only be used when TCP/IP connections are enabled. (Bug #38068699)

- Updating the password with MySQL Configurator took a long time. (Bug #37459271)

## Doxygen Notes

- A number of issues were corrected in the Server API documentation.

Our thanks to Daniël van Eeden for the contribution. (Bug #114671, Bug #117516, Bug #37329988, Bug #37615382, Bug #36526371)

## Replication with GTIDs

- MySQL Server now supports a new GTID set data structure, providing a simpler, more modern, and efficient library for handling Global Transaction IDs. This implementation replaces the existing library, offering improved maintainability and performance. (WL #16076)

## InnoDB Notes

- **InnoDB:** InnoDB redo logging error messages now include the current LSN and redo log capacity information, and the `MONITOR` output has been enhanced to display redo log capacity details. (Bug #37645185)
- **InnoDB:** If an `XA PREPARED` transaction existed during a server shutdown or crash, restarting the server with a non-zero `--innodb-force-recovery` value caused InnoDB to incorrectly change the transaction state from `PREPARED` to `ACTIVE`. This could lead to issues ranging from assertion failures to rolling back the `PREPARED` transaction. (Bug #35659774)
- **InnoDB:** InnoDB now generates unique rowid values in tables without primary keys more efficiently. (Bug #13395168)
- **InnoDB:** The field `fk_max_recusive_level` in `dict_table_t struct` is no longer used and has been removed.

Our thanks to Xiaocong Ding for the contribution. (Bug #119063, Bug #38492574)

- **InnoDB:** If the server closed during transaction commit, transactions in an already committed state could remain in the undo log. If the transaction is already committed, it is cleared from `trx_sys->rw_trx_list` during recovery, but is not cleared from `active_tw_trxs` of the `trx_sys->shards`. This invalid transaction stored in the `trx_sys->shards` could cause errors or assertions in the execution of the later queries.

As of this release, during cleanup on startup, processed transactions are not added to `trx_sys->shards`.

Our thanks to Yewei Xu and the team at Tencent for the contribution. (Bug #118515, Bug #38132549)

- **InnoDB:** When selecting blob data after a small partial update, incorrect results may be returned due to inconsistencies in the Multi-Version Concurrency Control (MVCC) for blob objects. (Bug #114138, Bug #36342348)
- **InnoDB:** Concurrent execution of `FLUSH TABLE FOR EXPORT` with `DROP TABLE` and DML operations could result in a deadlock. (Bug #110485, Bug #35221441)

- Fixed an issue related to bulk inserts. (Bug #38208188)
- MySQL Server now supports a new startup option, `container_aware`, which controls the server's ability to discover and adhere to CPU and memory resource limits set by a container. (WL #16937)

## JavaScript Programs

- GraalVM performance metrics are now available on Windows. (Bug #38498718)
- The `SHOW CREATE LIBRARY` command generated HEX representations of binary libraries on `x86_64` architectures with `FFFFFFFFFF` patterns before each byte with the high bit set.

Our thanks to Akshat Nehra and the team at Amazon for the contribution. (Bug #118927, Bug #38458235)

## JSON Duality Views

- The table IDs reported in the `I_S` views for JSON Duality Views differed from those reported by ORACLE DB due to differences in calculation order, leading to inconsistent `REFERENCED_TABLE_ID` values when multiple `Content_tree_nodes` referred to the same base table. (Bug #38624596)

## Logging Notes

- MySQL now supports enhanced debugging capabilities with the addition of timestamps to GCS/XCOM trace file entries.

For more information, see the `group_replication_communication_debug_options` system variable documentation in [Group Replication System Variables](#). (WL #17008)

## MySQL Enterprise Notes

- Option Tracker now supports MySQL Shell and MySQL Shell for VS Code.

The following status variables were added:

- `option_tracker_usage-MySQL_Shell_VSC_Natural_Language_to_SQL`
- `option_tracker_usage-MySQL_Shell_VSC_HeatWave_Chat`
- `option_tracker_usage-MySQL_Shell_VSC_Natural_Language_to_SQL`
- `option_tracker_usage-MySQL_Shell_VSC_Lakehouse_Navigator`
- `option_tracker_usage-MySQL_Shell`
- `option_tracker_usage-MySQL_Shell_for_VS_Code`
- `option_tracker_usage-MySQL_Shell_Dump`
- `option_tracker_usage-MySQL_Shell_VSC_Dump`
- `option_tracker_usage-MySQL_Shell_Dump_Load`
- `option_tracker_usage-MySQL_Shell_VSC_Dump_Load`
- `option_tracker_usage-MySQL_Shell_MRS`

- `option_tracker_usage-MySQL_Shell_VSC_MRS`
- `option_tracker_usage-MySQL_Shell_Copy`
- `option_tracker_usage-MySQL_Shell_Upgrade_Checker`

The following system variable was added:

- `component_option_tracker.mysql_shell_support`

See [Option Tracker Component](#). (WL #16659, WL #17000)

## Optimizer Notes

- Fixed an issue relating to Common Table Expressions (CTE). (Bug #38573285)
- Using the `coalesce` or `any_value` functions with specific JSON operations, such as `json_search` and `json_remove`, could cause an assertion failure. (Bug #38549573)
- Negative year values were accepted as valid datetime values by one method, but not by another. Negative year values are now always reported as errors. (Bug #38487373)
- Fixed issues relating to executing specific SELECT queries. (Bug #38465147, Bug #38465178)
- Fixed an issue related to executing specific SQL queries. (Bug #38448700)
- Fixed an issue relating to `SHOW CREATE TABLE`. (Bug #38298692)
- Queries which used REGEXP took longer to execute as prepared statements than as direct queries. (Bug #114056, Bug #36326728)

## Packaging Notes

- For platforms on which OpenSSL libraries are bundled, the linked OpenSSL library for MySQL Server has been updated to version 3.0.18. For more information, see [OpenSSL 3.0 Series Release Notes](#). (Bug #38632932)

## Performance Schema Notes

- **Important Change:** It is now possible to view accounts which have been temporarily locked, using the new Performance Schema table `TEMPORARY_ACCOUNT_LOCKS`.

The Performance Schema table, `HOST_CACHE`, was extended with the following columns:

- `COUNT_ACCOUNT_LOCKED_ERRORS`: The number of errors caused by a permanently locked account.
- `COUNT_TEMPORARY_ACCOUNT_LOCKED_ERRORS`: The number of errors caused by a temporarily locked account.

(Bug #37378977, WL #16803)

- Fixed an issue relating to querying variables. (Bug #38100668)
- Performance Schema did not capture SQL or digests for prepared statements from non-MySQL clients. (Bug #114480, Bug #36445818)

- Negative numbers on digests in `WHERE` were not parsed properly.

Our thanks to Yakir Gibraltar for the contribution. (Bug #110045, Bug #35078042)

- The following logs are now instrumented for Telemetry Logging:

- Slow Query Log
- General Log

See [The setup\\_loggers Table](#) and [Configuring Log Telemetry](#). (WL #17167)

## Pluggable Authentication

- Connecting to a MySQL server with a non-existing user now consistently returns an "Access denied for user" error message, regardless of the username length or MySQL version. Previously, errors were returned similar to the following:

```
ERROR 1045 (28000): Access denied for user
'foo'@'localhost' (using password: NO), ERROR
1524 (HY000): Plugin 'mysql_native_password' is not
loaded
```

(Bug #36527984)

## Security Notes

- Fixed an issue relating to authentication. (Bug #118447, Bug #38077617)
- The error message returned when attempting to create a user with an existing user name was unclear. (Bug #28331, Bug #11746738)
- MySQL now supports enhanced security and flexibility with the relocation of `MD5()` and `SHA1()` SQL functions to a separate component, allowing for greater control over deprecated hashing algorithms and improved compliance with security standards. You can install the `classic_hashing` component to continue using `MD5()` and `SHA1()` functions in your applications, ensuring a seamless transition and maintaining the integrity of your database operations. This update enables you to choose whether to utilize these functions, promoting a more secure environment by avoiding unacceptable hashing algorithms as defined by industry standards.

See [Legacy Hashing Component](#) for more information. (WL #16956)

## SQL Syntax Notes

- MySQL Server now supports table-level DML tagging for JSON duality views. You can explicitly specify allowed DML operations (`INSERT`, `UPDATE`, `DELETE`) per table when defining a JSON duality view. Restrictive tags (`NO INSERT`, `NO UPDATE`, `NO DELETE`) are also supported to explicitly disallow specific operations. You can specify combinations of these tags. At runtime, JSON duality views validate incoming DML operations against the configured tags and accept or reject operations accordingly. This provides per-table control over write operations within a single duality view definition. The behavior is compatible with Oracle DB JSON duality views.

See [CREATE JSON DUALITY VIEW Statement](#) for more information. (WL #17053)

## Functionality Added or Changed

- The bundled version of `opentelemetry-cpp` was upgraded to version 1.23.0. (Bug #38483354)

- As of this release, `GROUPING()` is permitted in queries without `ROLLUP`. (Bug #38168051)

## Bugs Fixed

- InnoDB:** Under certain circumstances, when using the `que_eval_sql` interface, a race condition could occur. (Bug #118705, Bug #38310595)
- `mysqltest` did not print the symbolic error code (error name) for failed SQL statements. (Bug #38743161)
- Running `SET PERSIST` on a system variable after an upgrade can result in duplicate variable entries across different sections in `mysqld-auto.cnf`. (Bug #38680162)
- Binary log purged before persisted `binlog_expire_*` options were loaded. (Bug #38554467)
- Fixed an issue relating to changing users and roles. (Bug #38492547)
- Linux debug builds started with the `--basedir` option set to an existing absolute path will no longer assert that `local_mysql_home` ends with a specific character. (Bug #38483568)
- Releasing MDLs before the `Auto_releaser` has run could cause asserts in debug builds due to locks not being released. (Bug #38430539)
- When 2 of 6 instances in a geographically dispersed InnoDB Cluster lost connectivity, the primary server became unresponsive, causing the `COMMIT` and `INSERT` operations to become unresponsive as well. (Bug #38380392)
- Fixed an issue related to user name handling. (Bug #38355483)
- `mysqldump`'s `--order-by-primary` option sorted data by every index on the table, instead of just sorting by the primary key. (Bug #38284832)
- Fixed several issues relating to Thread Pool blocking connections from closing. (Bug #38170188, Bug #36782728, Bug #38549372)
- Under certain circumstances, when used for an upgrade, `mysqlpump` altered the SQL mode and collation of stored procedures. (Bug #38154661)
- Fixed several issues in the parser. (Bug #37866044, Bug #38483735)
- Upgraded the MySQL Server to use non-deprecated OpenSSL algorithms for enhanced security and compatibility. (Bug #33951773)
- It was possible to specify a password expiry policy for externally authenticated users. (Bug #32724080)
- GTID gaps were generated because of the `replica- skip-errors` option. (Bug #28590993)
- Database names containing a backslash were not correctly quoted when using the `--routines` option with `mysqldump`. (Bug #22240504)
- If server was started on Windows platforms with `--skip-grant-tables`, privileges were not checked and remote connections were not permitted. As a result, the server might not start. (Bug #118805, Bug #38328780)
- (Bug #97091, Bug #30381098)
- A memory management issue occurred in the CSV engine when meta files became inaccessible.

Our thanks to Yan Huang for the contribution. (Bug #93394, Bug #28987279)

- Trailing comments on the `!includedir` or `!include` directives in the MySQL configuration file could prevent the server from starting. (Bug #87657, Bug #26750972)