
MySQL NDB Cluster 26.10 Release Notes

Abstract

This document contains release notes for the changes in each release of MySQL NDB Cluster that uses version 26.10 of the [NDB \(NDBCLUSTER\)](#) storage engine.

Each NDB Cluster 26.10 release is based on a mainline MySQL Server release and a particular version of the [NDB](#) storage engine, as shown in the version string returned by executing `SELECT VERSION()` in the `mysql` client, or by executing the `ndb_mgm` client `SHOW` or `STATUS` command; for more information, see [MySQL NDB Cluster 26.10](#).

For general information about features added in NDB Cluster 26.10, see [What is New in MySQL NDB Cluster 26.10](#). For a complete list of all bug fixes and feature changes in MySQL NDB Cluster, please refer to the changelog section for each individual NDB Cluster release.

For additional MySQL 26.10 documentation, see the [MySQL 26.10 Reference Manual](#), which includes an overview of features added in MySQL 26.10 that are not specific to NDB Cluster ([What Is New in MySQL 26.10](#)), and discussion of upgrade issues that you may encounter for upgrades from MySQL 9.7 to MySQL 26.10 ([Changes in MySQL 26.10](#)). For a complete list of all bug fixes and feature changes made in MySQL 26.10 that are not specific to [NDB](#), see [MySQL 26.10 Release Notes](#).

Updates to these notes occur as new product features are added, so that everybody can follow the development process. If a recent version is listed here that you cannot find on the download page (<https://dev.mysql.com/downloads/>), the version has not yet been released.

The documentation included in source and binary distributions may not be fully up to date with respect to release note entries because integration of the documentation occurs at release build time. For the most up-to-date release notes, please refer to the online documentation instead.

For legal information, see the [Legal Notices](#).

For help with using MySQL, please visit the [MySQL Forums](#), where you can discuss your issues with other MySQL users.

Document generated on: 2026-10-20 (revision: 31647)

Table of Contents

Preface and Legal Notices	1
Changes in MySQL NDB Cluster 26.10.0 (Not yet released)	3
Changes in MySQL NDB Cluster 26.7.1 (2026-08-18)	3
Changes in MySQL NDB Cluster 26.7.0 (2026-07-30)	4
Index	5

Preface and Legal Notices

This document contains release notes for the changes in each release of MySQL NDB Cluster that uses version 26.10 of the [NDB](#) storage engine.

Legal Notices

Copyright © 1997, 2026, Oracle and/or its affiliates.

License Restrictions

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly

permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Trademark Notice

Oracle, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Use of This Documentation

This documentation is NOT distributed under a GPL license. Use of this documentation is subject to the following terms:

You may create a printed copy of this documentation solely for your own personal use. Conversion to other formats is allowed as long as the actual content is not altered or edited in any way. You shall not publish or distribute this documentation in any form or on any media, except if you distribute the documentation in a manner similar to how Oracle disseminates it (that is, electronically for download on a Web site with the software) or on a CD-ROM or similar medium, provided however that the documentation is disseminated together with the software on the same medium. Any other use, such as any dissemination of printed copies or use of this documentation, in whole or in part, in another publication, requires the prior written consent from an authorized representative of Oracle. Oracle and/or its affiliates reserve any and all rights to this documentation not expressly granted above.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support for Accessibility

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Changes in MySQL NDB Cluster 26.10.0 (Not yet released)

MySQL NDB Cluster 26.10 is a new Innovation release of NDB Cluster, based on MySQL Server 26.7 and including features in version 26.10 of the [NDB](#) storage engine, as well as fixing recently discovered bugs in previous NDB Cluster releases.

Obtaining MySQL NDB Cluster 26.10. NDB Cluster 26.10 source code and binaries can be obtained from <https://dev.mysql.com/downloads/cluster/>.

For an overview of major changes made in NDB Cluster 26.10, see [What is New in MySQL NDB Cluster 26.10](#).

This release also incorporates all bug fixes and changes made in previous NDB Cluster releases, as well as all bug fixes and feature changes which were added in mainline MySQL 9 through MySQL 26.7.0 (see [Changes in MySQL NDB Cluster 26.7.0 \(2026-07-30\)](#)).

Version 26.10.0-ndb-26.10.0 has no release notes, or they have not been published because the product version has not been released.

Changes in MySQL NDB Cluster 26.7.1 (2026-08-18)

MySQL NDB Cluster 26.7.1 is a new Innovation release of NDB Cluster, based on MySQL Server 26.7 and including features in version 26.7 of the [NDB](#) storage engine, as well as fixing recently discovered bugs in previous NDB Cluster releases.

Obtaining MySQL NDB Cluster 26.7. NDB Cluster 26.7 source code and binaries can be obtained from <https://dev.mysql.com/downloads/cluster/>.

For an overview of major changes made in NDB Cluster 26.7, see [What is New in MySQL NDB Cluster 26.10](#).

This release also incorporates all bug fixes and changes made in previous NDB Cluster releases, as well as all bug fixes and feature changes which were added in mainline MySQL 9 through MySQL 26.7.0 (see [Changes in MySQL NDB Cluster 26.7.0 \(2026-07-30\)](#)).

**Note**

This release is a Critical Security Patch Update for the NDB Cluster docker image, only. See [Oracle Critical Security Patch Update Advisory - August 2026](#) for more information.

Changes in MySQL NDB Cluster 26.7.0 (2026-07-30)

MySQL NDB Cluster 26.7.0 is a new Innovation release of NDB Cluster, based on MySQL Server 26.7 and including features in version 26.7 of the [NDB](#) storage engine, as well as fixing recently discovered bugs in previous NDB Cluster releases.

Obtaining MySQL NDB Cluster 26.7. NDB Cluster 26.7 source code and binaries can be obtained from <https://dev.mysql.com/downloads/cluster/>.

For an overview of major changes made in NDB Cluster 26.7, see [What is New in MySQL NDB Cluster 26.10](#).

This release also incorporates all bug fixes and changes made in previous NDB Cluster releases, as well as all bug fixes and feature changes which were added in mainline MySQL 9 through MySQL 26.7.0 (see [Changes in MySQL NDB Cluster 26.7.0 \(2026-07-30\)](#)).

- [Functionality Added or Changed](#)
- [Bugs Fixed](#)

Functionality Added or Changed

- In cloud and service-mesh deployments, NDB Management Server could reject node ID allocation because the incoming connection's source address did not match the hostname configured for that node. The existing [--no-nodeid-checks](#) workaround disabled broader safety checks and could allow multiple nodes to use the same node ID.

As of this release, a new option, [--skip-nodeid-address-check](#), selectively disables hostname matching, allowing node ID allocation through proxies while retaining other node ID protections.

[--no-nodeid-checks](#) is deprecated and acts as an alias for [--skip-nodeid-address-check](#). (Bug #38899143)

- As of this release, log messages containing the node group ID are written at node startup and when the node group ID changes due to CREATE NODEGROUP or DROP NODEGROUP. (Bug #36379201)

Bugs Fixed

- **NDB Cluster APIs:** NDBAPI could misidentify a complete disconnection from all data nodes as a series of survivable individual node failures when disconnect notifications were delayed. A node could reconnect before all disconnects had been processed, leaving transactions stalled until protocol timeouts and event subscriptions waiting for events that would never arrive.

NDBAPI now tracks node-failure completion consistently and delays reconnection attempts until failure handling is complete. This ensures complete cluster-side state loss is detected correctly and local transactions and event subscriptions are cleaned up and re-established as needed. (Bug #35959495)

- When a table or index scan was split across multiple fragments and nodes, some fragment-scan requests could remain queued for sending. If a data node failed at that point, cleanup handled requests already sent but could miss queued requests targeting the failed node, leading to an assertion failure. NDB now handles pending fragment-scan requests for failed nodes correctly, preventing the failure. (Bug #39555153)

- Backup-abort requests could be rejected if they arrived while backup shutdown processing was already underway, due to an overly restrictive internal state check. This could affect abort handling during concurrent backup-stop activity. The Backup block now accepts abort requests during the relevant stop-processing states. (Bug #39446861)
- When a filesystem was full or nearly full, an NDB data node could treat a partial file write as successful, risking file corruption. Partial writes are now handled as failures, including reporting unknown error 2813 when a failed file operation has no operating-system error code. (Bug #39436680)
- An assertion failure could happen on NDBAPI nodes if a newly added API node with a higher node ID connected before the existing API nodes were restarted. Their fixed-size subscription tracking bitmap was sized using the previous configuration and could not represent the new node.

NDBAPI now allocates this tracking data for the maximum supported cluster node ID and safely rejects out-of-range subscription events with an error message. (Bug #38932493)
- It was possible for data nodes to stop unexpectedly if TDE was enabled. (Bug #38549404)
- Fixed an assertion which occurred when bulk inserts or deletes were occurring on a table, while nodes were restarting. (Bug #30702408)

Index

N

NDB Cluster, 4
NDB Cluster APIs, 4

