

---

# MySQL Router 8.4 Release Notes

## Abstract

This document contains release notes for the changes in MySQL Router 8.4.

For additional MySQL Router documentation, see <https://dev.mysql.com/doc/mysql-router/en/>.

Updates to these notes occur as new product features are added, so that everybody can follow the development process. If a recent version is listed here that you cannot find on the download page (<https://dev.mysql.com/downloads/>), the version has not yet been released.

The documentation included in source and binary distributions may not be fully up to date with respect to release note entries because integration of the documentation occurs at release build time. For the most up-to-date release notes, please refer to the online documentation instead.

For legal information, see the [Legal Notices](#).

For help with using MySQL, please visit the [MySQL Forums](#), where you can discuss your issues with other MySQL users.

Document generated on: 2024-05-08 (revision: 28330)

## Table of Contents

Preface and Legal Notices .....	1
Changes in MySQL Router 8.4.0 (2024-04-30, LTS Release) .....	3

## Preface and Legal Notices

This document contains release notes for the changes in MySQL Router 8.4.

### Legal Notices

Copyright © 2006, 2024, Oracle and/or its affiliates.

#### License Restrictions

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

#### Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

#### Restricted Rights Notice

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed

by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

### **Hazardous Applications Notice**

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

### **Trademark Notice**

Oracle, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

### **Third-Party Content, Products, and Services Disclaimer**

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

### **Use of This Documentation**

This documentation is NOT distributed under a GPL license. Use of this documentation is subject to the following terms:

You may create a printed copy of this documentation solely for your own personal use. Conversion to other formats is allowed as long as the actual content is not altered or edited in any way. You shall not publish or distribute this documentation in any form or on any media, except if you distribute the documentation in a manner similar to how Oracle disseminates it (that is, electronically for download on a Web site with the software) or on a CD-ROM or similar medium, provided however that the documentation is disseminated together with the software on the same medium. Any other use, such as any dissemination of printed copies or use of this documentation, in whole or in part, in another publication, requires the prior written consent from an authorized representative of Oracle. Oracle and/or its affiliates reserve any and all rights to this documentation not expressly granted above.

## **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## Access to Oracle Support for Accessibility

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Changes in MySQL Router 8.4.0 (2024-04-30, LTS Release)

- [Deprecation and Removal Notes](#)
- [Functionality Added or Changed](#)
- [Bugs Fixed](#)

### Deprecation and Removal Notes

- The configuration option `bootstrap_server_addresses`, deprecated in MySQL Router 8.0.14, is removed in this release.

If this option is present in a configuration file, MySQL Router generates an error. (WL #15867)

- The configuration option `unreachable_destination_refresh_interval`, deprecated in MySQL Router 8.0.32, is removed in this release.

If this option is present in a configuration file, MySQL Router generates an error. (WL #15869)

- As of this release, version 1.x of MySQL InnoDB Cluster Metadata is no longer supported. It is recommended to always use the latest version of MySQL Shell and MySQL Router.

See [Upgrading MySQL Router](#) and [Upgrade Metadata Schema](#). (WL #15868)

- The `allow_primary_reads` parameter of the `destinations` URI is removed in this release. (WL #15872)
- The configuration option `mode`, deprecated in MySQL Router 8.0.4, is removed in this release. (WL #15877)

### Functionality Added or Changed

- As of this release, MySQL Router exposes its configuration in the Cluster metadata for all routers bootstrapped against it. This information is stored as JSON in the Cluster metadata schema and can be accessed by the MySQL Shell operation, `object.routerOptions` for Cluster, ClusterSet, and ReplicaSets. (WL #15649)

- As of this release, server connections which were not explicitly closed, but remain idle longer than the defined `connection-sharing-delay`, are no longer placed in the connection pool. Instead, the connections remain open and available for use by new client connections.

It is no longer necessary to enable the connection pool to enable connection sharing. Therefore `max_idle_server_connections` can be zero if connection sharing is enabled. (WL #15742)

### Bugs Fixed

- If a hostname was not resolved, due to a DNS failure, MySQL Router did not check if that host became available again, later. (Bug #36246652)
- MySQL Router's bootstrap process checks the `mysql.user` table for the unsupported `mysql_native_password` authentication plugin. If the bootstrap user had no access to the table, the following error was returned:

```
Failed checking the Router account authentication plugin: Error executing MySQL query "select
```

```
'user'": SELECT command denied to user 'user'@'host'  
for table 'user' (1142)
```

As of this release, this error is not returned. (Bug #36225456)

- If MySQL Router was bootstrapped without the `--account` parameter, a new metadata user was added using the following query:

```
CREATE USER IF NOT EXISTS username@hostname IDENTIFIED BY 'password'
```

If the server used an authentication plugin which does not accept single-factor or password-based authentication, the account creation failed. As of this release, the `caching_sha2_password plugin` is used in this situation:

```
CREATE USER IF NOT EXISTS username@hostname IDENTIFIED WITH `caching_sha2_password` BY 'password'
```

MySQL Router used `default_authentication_plugin` to determine the authentication plugin to use. This variable is now deprecated. MySQL Router uses `caching_sha2_password`. (Bug #36220663, Bug #36245132)

- The following error was displayed if MySQL Router was closed before the metadata cache started:

```
Error: routing::_: Metadata Cache not initialized
```

(Bug #36151125)

- It was not possible to connect to MySQL through MySQL Router, using the Node.js MySQL driver, if MySQL Router was running with both `client_ssl_mode` and `server_ssl_mode` disabled. Authentication failed without a useful error message.

As of this release, MySQL Router returns an error explaining that the Node.js MySQL driver does not support the requested authentication protocol. (Bug #36105279)

- If an incoming port is opened and closed by a TCP connection, such as a load balancer or a service-monitoring utility performing a health check, the connection counts towards the limit defined by `max_connect_errors`, even though the connection was not established. This could lead to MySQL Router closing the incoming port when the error limit is reached.

As of this release, `max_connect_errors` is not incremented if the Router's incoming port is opened and closed without establishing a connection. (Bug #36104070)

- If a client sent read-only statements to a destination which was not configured as `super_read_only`, using the Read-Write splitting port, MySQL Router redirected the statement to the primary. The statement did not return the correct result. (Bug #36042078)
- It was not possible to build MySQL Router on 32-bit Linux platforms. (Bug #36040942)
- Queries with trailing semi-colons (;) were treated as multi-statements, which is not permitted if MySQL Router is configured for Read-Write Splitting. (Bug #36036725)

- The following error did not provide enough information for troubleshooting:

```
timestamp routing ERROR [code] connecting to backend failed: Connection timed out (generic:110)
```

As of this release, it contains the following details:

- Route name and client source.
- `resolve()` errors.

- Hostname, IP addresses, and errors for each connection attempt.
- The amount of time spent on the connection attempt.

(Bug #35503245)

